

DESIGN GUIDE

Princeton



Effective June 2018



Overview

Princeton is a freestanding and fully modular desking system offering maximum flexibility; ease of installation and facilitates simple reconfigurations. The overlapping worksurface design allows the footprint to adapt to smaller spaces by just a few inches. Every element, from the mix of materials and finishes to open storage pieces, floating modesties and overlapping surfaces, has been designed to provide visual appeal and intelligent function.

All Princeton components have been tested to comply with BIFMA table / desk and mechanical standards. Princeton has been tested using stringent environmental chamber methods and found to meet Greenguard's Indoor Air Quality standards. Greenguard certified products are low emitting and contribute minimal levels of pollutants to indoor environments www.greenguard.org. Princeton is BIFMA Level 3 certified.

Construction Specifications

WORKSURFACES

- Constructed of 45 lbs density particleboard core with high performance thermally fused laminate
- High pressure laminate tops are also available in all Princeton laminate finishes at an extended lead time. Please see model # for pricing and availability.
- Worksurfaces are 1" thick with 3mm thick matching edge detail on all sides
- Worksurfaces with metal legs which have a span of 54" and over include metal support channel(s)
 - 24" and 30" deep - 1 support channel
 - 36" deep - 2 support channels

GENERAL CONSTRUCTION


- Laminate end panel and metal leg products are **not intended** to be combined for the most visually compatible design. They are, however, interchangeable if required.
- Components are constructed of 45 lbs density particleboard core with high performance thermally fused laminate
- End panels are 1.5" thick on laminate end panel desks and credenzas. Cabinet end panels are 11/16" thick.
- All components other than worksurfaces have 1mm thick matching edge detail on all sides
- Leveling glides are standard on all floor units with a minimum of 1" adjustability
- 1" x 2" metal frame legs finished in Tungsten (TUN) for desks and returns
- 1" x 2.5" metal frame legs finished in Tungsten (TUN) for freestanding tables
- Credenzas come standard with file bars for front-to-back letter, legal and A4 filing capability
- Laminate shelves are 11/16" thick and edged on all 4 sides. Optional tempered glass shelves are 6mm thick with satin-etched finish on one side.
- Metal plates and wood screws are provided for connection between units
- Counterweights are standard on all pedestals, lateral files, credenzas and cabinets
- Mobile pedestals and mobile lateral files come standard with front locking casters
- Stool and rolling table come standard with non-locking casters
- Handles and pulls in satin anodized finish are standard on all credenza, pedestal drawers and cabinet doors
- Pull-out equipment shelves are available on select credenzas
- Grommets and power blocks are available to accommodate power/data needs

LOCKS

- Standard on all credenzas, storage cabinets, lateral files, pedestals and benches
- Lock on all credenzas, cabinets and pedestals is always positioned on the bottom file drawer
- Lock secures both bottom and drawer above that with the lock
- Storage cabinets and pedestals with box, box, file combination, only file drawer and lower box drawer are locking
- Components can be ordered without locks at no additional charge. Specify NL

PULLS


- 9.76" long
- Satin anodized finish only



Construction Specifications


TABLE LEGS

- 1" X 2.5" metal frame (open 'U' style)
- Finished in Tungsten (TUN) only




METAL LEG

- 1" X 2" open metal frame (closed 'O' style)
- Finished in Tungsten (TUN) only
- Support for select desks and returns



MONOPOST

- Standard support for Conference tops
- 4" square post with 10" square base
- Finished in Tungsten (TUN) only





LAMINATE MODESTY PANELS

- 10" high. Standard on all desks with laminate end panels, returns with laminate end panels and bridges for laminate end panel desks
- Modesty is flush on Freestanding Returns with laminate end panels
- Modesty is recessed 4" deep on 24"d desks with laminate end panels, 5" deep on 30"d desks with laminate end panels and 6" deep on 36"d desks with laminate end panels
- Modesty is recessed 4" deep on 24"d, 5" deep on 30"d and 6" deep on 36"d flush and overlapping returns with laminate end panels
- Modesty is recessed 4" d on 24"d and 5" d on 30"d flush and overlapping bridges with laminate end panels
- Desks and returns feature modesty panel that is flush with end panel
- Bottom of wood modesty panel is 18" from floor

GROMMETS

- Worksurface grommet hole dimensions are 3.22" wide by 1.85" deep
- One grommet in satin anodized finish is standard on many components
- Standard grommet position for desks, returns, bridges and conference tops is POG2
- Grommet location is 2" from edge to cut out on desks/returns/bridges and 2.5" from edge to cut out on credenzas
- Additional grommets are available in other standard worksurface locations (left, center or right) on select components; refer to price list for more information
- Grommets may be placed at non-standard locations, see price list for upcharge
- A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below)
- Components that come standard with grommet may be ordered without a grommet, upcharge applies



WIRE MANAGEMENT PASS-THROUGH

- Laminate modesty panels have a 3.43" wide by 2" high pass-through for cables/cords, excluding 27"h and 29"h freestanding returns
- Credenzas with open lower shelf, the center gable has a 4" x 4" cut out allowing cables to pass through and exit the bottom of the unit to floor mounted power/data
- 2" deep x 2" high extruded wire management channel in several lengths is available for management of cables below the worksurface
- Channel readily flexes to receive and then secure electrical and data wires
- Quickly attaches with double-sided tape (included)

Construction Specifications

CREDENZA WITH PULL-OUT EQUIPMENT SHELF

- Select credenzas have the option of a pull-out equipment shelf
- Shelf is rated for up to 80 lbs.

GLASS

- All glass components (desktop panels, sliding glass doors, adjustable shelves) are tempered 6mm thick glass with satin etched finish on one side

SPECIAL SIZES

- Custom widths, depths and heights are available, but require a custom quote. Please contact Customer Care for more information.
- Custom orders must indicate the “custom quote number” and list price as provided by Customer Care
- Changes to a custom quote are not permissible. Any revisions will necessitate a new quotation.

Planning Guidelines

To maintain design intent and most visually compatible design, ensure specifying **laminated end panel** products with other laminated end panel products, and likewise **metal leg** products with metal leg products. Components are interchangeable if required, however it is not recommended you mix laminated end panel and metal leg products.

Standard Finishes

| Top: | Base: | Door, Drawer and Cabinet Fronts |
|---------------------|---------------------|---------------------------------|
| ACJ Absolute Acajou | ACJ Absolute Acajou | ACJ Absolute Acajou |
| ASN Asian Night | ASN Asian Night | ASN Asian Night |
| AWC Avant Cherry | AWC Avant Cherry | AWC Avant Cherry |
| AWH Avant Honey | AWH Avant Honey | AWH Avant Honey |
| CMB Clear Maple | CMB Clear Maple | CMB Clear Maple |
| DES Dark Espresso | DES Dark Espresso | DES Dark Espresso |
| DWT Designer White | DWT Designer White | DWT Designer White |
| HGT Hayden Grey | HGT Hayden Grey | HGT Hayden Grey |
| SKC Shaker Cherry | SKC Shaker Cherry | SKC Shaker Cherry |
| TMP Tiger Maple | TMP Tiger Maple | TMP Tiger Maple |
| TWL Tiger Walnut | TWL Tiger Walnut | TWL Tiger Walnut |
| WHE Walnut Heights | WHE Walnut Heights | WHE Walnut Heights |
| WCR Winter Cherry | WCR Winter Cherry | WCR Winter Cherry |
| WHC White Chocolate | WHC White Chocolate | WHC White Chocolate |

Please specify a finish code for the **top, base** and **door/ drawer/cabinet front individually**. Please refer to the **Required Specifications** indicated on each page of the Princeton price book.

- **Required finish option sequence:** Top finish is always in the 1st position, Base finish is always in the 2nd position and Door/Drawer/Cabinet Front is always in the 3rd position.

Example: PN3072DK WHC ACJ PN2960CPL WHC ACJ WHC
 [model #] [top] [base] [model #] [top] [base] [drawer fronts]

Monopost Finishes

4" square monopost is available in Tungsten (TUN), Black (BLK) or Designer White (DWT).

Metal Frame Desk Legs

1" x 2" metal frame legs are available in Tungsten (TUN), Black (BLK) or Designer White (DWT)












Planters

Planter pots are standard in white. Available in Black (BK) at no upcharge. **MUST SPECIFY** at time of order placement.























Metal Frame Table Legs

1" x 2.5" metal frame legs are available in Tungsten (TUN), Black (BLK) or Designer White (DWT)















Finish Specification

| Top | Base | Door / Drawer / Cabinet Fronts | Notes |
|---|---|--------------------------------|-------------------------------------|
| Princeton Tables | | | |
|  | n/a | n/a | |
| Princeton Desks | | | |
|  |  | n/a | Grommet finish: Satin Anodized only |
| Princeton Returns | | | |
|  |  | n/a | Grommet finish: Satin Anodized only |
|  | n/a | n/a | Grommet finish: Satin Anodized only |
|  |  | n/a | Grommet finish: Satin Anodized only |
| Princeton Bridges | | | |
|  |  | n/a | Grommet finish: Satin Anodized only |
| Princeton Conference Tops | | | |
|  | n/a | n/a | Grommet finish: Satin Anodized only |

Finish Specification

| Top | Base | Door / Drawer / Cabinet Fronts | Notes | | | |
|---|---|--|--|---|--|----------------------------------|
| Princeton Credenzas | | | | | | |
|  |  |  | <ul style="list-style-type: none"> Grommet finish: Satin Anodized only Pull finish: Satin Anodized only | | | |
|  |  |  | If sliding glass door: Satin-etched glass only | | | |
| Cushions for Credenzas and Mobile Storage | | | | | | |
|  | n/a | n/a | Specify fabric. | | | |
| Princeton Cabinets and Towers | | | | | | |
|  |  |  | <ul style="list-style-type: none"> Pull finish: satin anodized only Accessory hook finish: Satin anodized only | | | |
|  |  |  | <ul style="list-style-type: none"> Pull finish: satin anodized only Accessory hook finish: Satin anodized only | | | |
|  |  |  | <ul style="list-style-type: none"> Pull finish: satin anodized only Accessory hook finish: Satin anodized only | | | |
| Princeton Pedestals and Mobile Storage | | | | | | |
|  |  |  |  |  |  | Pull finish: Satin anodized only |

Finish Specification




| Top | Base | Door / Drawer / Cabinet Fronts | Notes |
|---|---|--|--|
| Princeton Desktop Storage | | | |
|  |  | n/a | Applicable to two high and three high only |
|  |  |  | <ul style="list-style-type: none"> • If glass sliding door, satin-etched glass only • Sliding pull finish: Brushed aluminum only |
|  |  |  | <ul style="list-style-type: none"> • If glass sliding door, satin-etched glass only • Sliding pull finish: Brushed aluminum only |
| Princeton Accessories | | | |
|  |  | n/a | |
|  |  | n/a | |
|  |  | n/a | <ul style="list-style-type: none"> • Must specify plant pot finish. |

Product Map

Princeton Tables - 29"H

Unless noted otherwise, width and depth range in 6" increments. *Not available in all widths/depths - refer to price list.

Freestanding and Mobile

| | | | |
|--------------|---|---|---|
| Depth | 24" to 48"* | 36", 42", 48"* | 24" to 48"* |
| Width | 24" to 96"* | 120", 144" | 24" to 72"* |
| |  |  |  |
| Product Code | PNxxxx29 | PNxxxx29 | PNxxxx29C |
| Support | Tables with open leg | Tables with center leg | Open leg with locking casters |




• 1" x 2.5" metal frame open leg, finished in Tungsten (TUN), Black (BLK) or Designer White (DWT). Metal support channel(s) included on widths exceeding 54". 144" wide top in two pieces.




Princeton Desks - 29"H

Freestanding OR may also be used in overlapping configurations OR with flush connection to returns, bridges and conference tops

Desks with laminate end panels | Top and base finish(es) specified separately. Front and back worksurface overhang by 4" on 24"D models; 5" on 30"D models and 6" on 36"D models

Desks with metal frame | 1" x 2" metal leg, finished in Tungsten (TUN), Black (BLK) or Designer White (DWT). Metal support channel(s) included on widths exceeding 54". Top and Bookshelf finish(es) specified separately. Bookshelf is 12" deep overall; middle shelf is adjustable.

| | | | |
|--------------|---|---|---|
| Depth | 24", 30", 36" | 24", 30", 36" | 30", 36" |
| Width | 48" to 84" | 48" to 84" | 60" to 84" |
| |  |  |  |
| Product Code | PNxxxxDK | PNxxxxDM | PNxxxxDB(R/L) |
| Support | Laminate end panels, 10"H recessed modesty | Metal legs | Metal leg and bookshelf |



| | | | |
|---------------|---|---|--|
| |  |  |  |
| Product Codes | PNxxxxDK with flush connection PNxxxxRFR | PNxxxxDM flush to PNxxxxOSR overlapping PN23xxNO with cushion | PNxxxxDBL flush to PNxxxxOBR overlapping PN27xxCRR |

Princeton Returns

Returns with laminate end panels and modesty or bookshelf | Top and base finish(es) specified separately. Bookshelf is 12" deep overall; middle shelf is adjustable.

Returns with metal frame | 1" x 2" metal leg, finished in Tungsten (TUN), Black (BLK) or Designer White (DWT). Metal support channel(s) included on widths exceeding 54".

Freestanding Return | 24" deep





| | | |
|--------------|--|--|
| Width | 60" to 84" | 60" to 84" |
| Height | 29" | 27" |
| |  |  |
| Product Code | PNxxxx29R | PNxxxx27R |
| Support | Laminate end panels | Laminate end panels |

- Freestanding or use 29"H returns for flush mating conditions or overlapping 27"H and 23"H freestanding components
- Freestanding or use 27"H returns to support overlapping components with 1" spacer
- 10"H recessed modesty





Product Map

Princeton Returns - 29"H



Flush Connection

| | | | | |
|---|---|---|---|--|
| Depth | 24" | 24", 30" | 30" | 24", 30" |
| Width | 48" to 72" | 48" to 78" | 48" to 72" | 60" to 84" |
| Right hand shown Left hand available |  |  |  |  |
| Product Code | PNxxxxRF(R/L) | PNxxxxFM(R/L) | PNxxxxFT(R/L) | PNxxxxFB(R/L) |
| Support | Inset laminate end panel, 10"H modesty | Metal leg | Metal leg, wedge top | Bookshelf |

Overlapping Return with 1" Spacer | works with 27"H components



| | | | | |
|---|---|---|---|--|
| Depth | 24" | 24", 30" | 30" | 24", 30" |
| Width | 72" to 84" | 60" to 84" | 60" to 84" | 84", 90", 96" |
| Right hand shown Left hand available |  |  |  |  |
| Product Code | PNxxxxRO(R/L) | PNxxxxOM(R/L) | PNxxxxOT(R/L) | PNxxxxRB(R/L) |
| Support | Inset laminate end panel, 10"H modesty | Metal leg | Metal leg, wedge top | Bookshelf |

Overlapping Return with 5" Metal Spacer | works with 23"H components

| | | |
|---|--|--|
| Depth | 24", 30" | 30" |
| Width | 60" to 84" | 60" to 84" |
| Right hand shown Left hand available |  |  |
| Product Code | PNxxxxSO(R/L) | PNxxxxTS(R/L) |
| Support | Metal leg and 5" metal spacer | Metal leg, wedge top and 5" metal spacer |



Princeton Bridges

Flush Connection

| | | |
|---|---|---|
| Height | 12" | 1" |
| Depth | 24" | 24" |
| Width | 36" to 54" | 36" to 54" |
| Right hand shown Left hand available |  |  |
| Product Code | PNxxxxBF | PNxxxxBFM |
| Support | For laminate end panel configurations | For metal leg configurations |

• Bridges may also be used with 29"H credenzas with opening

Overlapping Bridge with 1" Spacer | works with 27"H credenzas


| | | |
|---|---|---|
| Height | 11" | 2" |
| Depth | 24" | 24" |
| Width | 60" to 78" | 60" to 78" |
| Right hand shown Left hand available |  |  |
| Product Code | PNxxxxBO(R/L) | PNxxxxOB(R/L) |
| Support | For laminate end panel configurations | For metal leg configurations |

Product Map

Overlapping Bridge with 5" Metal Spacer | works with 23"H credenzas

Height 6"
 Depth 24"
 Width 60" to 78"

Right hand shown
 Left hand available






Product Code PNxxxxOS(R/L)




Princeton Conference Tops - 29"H

Conference tops are supported by a 28"H and 4" square monopost with 10" square base finished in Tungsten (TUN).



Flush Connection

| | | | |
|----------------------|---|---|---|
| Depth | 24", 30" | 30" | 47" |
| Width | 48", 60" | 48", 60" | 66", 72" |
| |  |  |  |
| Left hand shown | | | |
| Right hand available | | | |
| Product Code | PNxxxxDF(R/L) | PNxxxxTF(R/L) | PNxxxxCF(R/L) |
| Configuration | Rectangular | Wedge | Offset |

Overlapping Conference Tops with 1" Spacer on connecting end | works with 27"H components

| | | | |
|----------------------|--|--|--|
| Depth | 30" | 30" | 47" |
| Width | 72", 78", 84" | 72", 84" | 90", 96" |
| |  |  |  |
| Left hand shown | | | |
| Right hand available | | | |
| Product Code | PNxxxxDO(R/L) | PNxxxxTO(R/L) | PNxxxxCO(R/L) |
| Configuration | Rectangular | Wedge | Offset |

Used in U Configurations | not freestanding




| | | |
|----------------------|---|---|
| Depth | 30" | 47" |
| Width | 72", 84" | 90", 96" |
| |  |  |
| Left hand shown | | |
| Right hand available | | |
| Product Code | PNxxxxDU(R/L) | PNxxxxCU(R/L) |
| Configuration | Rectangular | Offset |

Product Map


Princeton Credenzas - 29"H

- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Units with file drawers include file bars to accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom file drawers; secures both drawers.
- Credenzas with sliding doors do not lock
- Credenzas with pull-out equipment shelf | shelf is rated for up to 80 lbs.
- **Connection with flush or overlapping surfaces to credenza is only possible over units open on one side with either fixed lower shelf or pull-out equipment shelf**
- Units open on one side (fixed or pull-out shelf) allow cables and cords to pass through back of lower shelf to floor monument
- Units with one open shelf/box/file drawer | open shelf interior height is fixed at 5.7"






Single Wide Credenzas

| | | | |
|---------------|---|---|---|
| Depth | 24" | 24" | 24" |
| Width | 24", 30", 36" | 37" | 37" |
| |  |  |  |
| Product Code | PN29xxCO | PN2937LFS | PN2937CRS |
| Configuration | Open | File/File | Open Shelf/Box/File |




Connect to flush returns, conference tops or bridges


| | |
|---------------|---|
| Depth | 24" |
| Width | 60", 72", 84" |
| |  |
| Product Code | PN29xxCO |
| Configuration | Open |

Connect on open side to flush returns, conference tops or bridges

| | | | | | |
|---|---|---|---|--|---|
| Depth | 20" | 24" | 24" | 24" | 24" |
| Width | 54", 60" | 60" to 84" | 60" to 84" | 72", 84" | 72", 84" |
| |  |  |  |  |  |
| Left hand shown Right hand available | | | | | |
| Product Code | PN29xxNC(R/L) | PN29xxCR(R/L) | PN29xxCP(R/L) | PN29xxMC(R/L) | PN29xxMP(R/L) |
| Configuration | Narrow with 30"W Box/File | 34"W Box/File | 34"W Box/File with Pull-Out Equipment Shelf | Open Shelf/Docking Shell for mobile lateral file | Open Shelf with Pull-Out Equipment Shelf/ Docking Shell for mobile lateral file |

Freestanding

| | | | |
|---------------|---|---|---|
| Depth | 24" | 24" | 24" |
| Width | 72" | 72" | 60", 72", 84" |
| |  |  |  |
| Product Code | PN2972LF | PN2972CRD | PN29xxCLS |
| Configuration | Double Lateral File | Open Shelf/Double Box/File | Sliding Laminate Doors |



| | |
|---------------|---|
| Depth | 24" |
| Width | 60", 72", 84" |
| |  |
| Product Code | PN29xxCGS |
| Configuration | Sliding Glass Doors |

Product Map


Princeton Credenzas - 27"H

- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Units with file drawers include file bars to accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom file drawers; secures both drawers.
- Credenzas with sliding doors do not lock
- Credenzas with pull-out equipment shelf | shelf is rated for up to 80 lbs.
- Units open on one side (fixed or pull-out shelf) allow cables and cords to pass through back of lower shelf to floor monument
- Units with open shelf/box/file drawer | open shelf interior height is fixed at 4"




Single Wide Credenzas

| | | |
|---------------|---|---|
| Depth | 24" | 24" |
| Width | 30", 36" | 37" |
| |  |  |
| Product Code | PN27xxCO | PN2737CRS |
| Configuration | Open | Open Shelf/Box/File |



Narrow | Supports overlapping components with 1" spacer

| | |
|---------------|---|
| Depth | 20" |
| Width | 54", 60" |
| |  |
| Product Code | PN27xxNC(R/L) |
| Configuration | Open on one side, 30"W Box/File, left and right hand available |




Supports overlapping components with 1" spacer | Open Side, Fixed Bottom Shelf

| | | | |
|----------------------|---|---|---|
| Depth | 24" | 24" | 24" |
| Width | 60", 72", 84" | 60" to 84" | 72", 84" |
| |  |  |  |
| Left hand shown | | | |
| Right hand available | | | |
| Product Code | PN27xxCO | PN27xxCR(R/L) | PN27xxMC(R/L) |
| Configuration | Open | Open with 34"W Box/File | Open Shelf/Docking Shell for mobile lateral file |

Supports overlapping components with 1" spacer | Open Side, Pull-out Equipment Shelf

| | | |
|----------------------|---|---|
| Depth | 24" | 24" |
| Width | 60" to 84" | 72", 84" |
| |  |  |
| Left hand shown | | |
| Right hand available | | |
| Product Code | PN27xxCP(R/L) | PN27xxMP(R/L) |
| Configuration | Open with 34"W Box/File | Open Shelf/Docking Shell for mobile lateral file |

Freestanding

| | | | |
|---------------|---|---|---|
| Depth | 24" | 24" | 24" |
| Width | 72" | 60", 72", 84" | 60", 72", 84" |
| |  |  |  |
| Product Code | PN2772CRD | PN27xxCLS | PN27xxCGS |
| Configuration | Double Box/File | Sliding Laminate Doors | Sliding Glass Doors |


Product Map

Princeton Credenzas - 23"H

- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Units with file drawers include file bars to accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom file drawers; secures both drawers.
- Credenzas with pull-out equipment shelf | shelf is rated for up to 80 lbs.
- Units open on one side (fixed or pull-out shelf) allow cables and cords to pass through back of lower shelf to floor monument

Open | Supports overlapping components with 5" metal spacer | Accepts seat cushion (specified separately)

Depth 24"
Width 60", 72", 84"






Product Code PN23xxCO
Configuration Open. Fixed bottom shelves.

Open | Supports overlapping components with 5" metal spacer | Accepts seat cushion (specified separately)

| | | | |
|-------|----------|------------|------------|
| Depth | 20" | 24" | 24" |
| Width | 54", 60" | 60" to 84" | 60" to 84" |



Left hand shown
Right hand available



| | | | |
|---------------|---------------------------|---------------|---|
| Product Code | PN23xxNC(R/L) | PN23xxCR(R/L) | PN23xxCP(R/L) |
| Configuration | Narrow with 30"W Box/File | 34"W Box/File | 34"W Box/File with Pull-Out Equipment Shelf |

Freestanding | Accepts seat cushion (specified separately)




| | | |
|-------|-----|-----|
| Depth | 24" | 24" |
| Width | 37" | 72" |



| | | |
|---------------|-----------------|-----------------|
| Product Code | PN2337CRS | PN2372CRD |
| Configuration | Single Box/File | Double Box/File |

Cushions for 23"H Credenzas | 2.5" thick | Specify fabric

| | | | |
|-------|----------|-------------------------|-----|
| Depth | 20" | 24" | 24" |
| Width | 27", 30" | 30", 33", 36", 39", 42" | 37" |



| | | | |
|---------------|---------------------------|---------------------------|---------------------------|
| Product Code | PN20xxCU | PN24xxCU | PN2437CU |
| Configuration | For 23"H Narrow Credenzas | For 23"H x 24"D Credenzas | For 23"H Single Credenzas |

Product Map

Princeton Storage Cabinets - 24"D













- Fixed bottom shelf of upper open shelves align with depth of worksurface for side access
- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Cabinets with side access bookshelf | 52"H with one adjustable shelf, 66"H with two adjustable shelves • Adjustable shelves may be specified in tempered glass
- Cabinets with file drawers accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom drawer.
- Cabinets with full height wardrobes | wardrobe is locking • coat rail included
- Cabinets with upper hinged door storage | hinged door is locking • 52"H with one adjustable shelf inside; 66"H with two adjustable shelves inside
- Cabinets with recycling/waste drawer include one of each bin • Recycling drawer is non-locking

52"H | Align with 27"H worksurfaces

| | | | |
|---|---|---|--|
| Width | 16" | 16" | 16" |
| Left hand shown Right hand available | | | |
| Product Code Configuration | PN57CSBF(R/L) Open Shelf/Box/File/Bookshelf | PN57RCS(R/L) Open Shelf/Recycling/Waste Drawer/ and Bookshelf | PN57DSBF(R/L) Door/Upper Storage with Open Shelf/Box/File |
| Width | 16" | 24" | 24" |
| Left hand shown Right hand available | | | |
| Product Code Configuration | PN57DRCS(R/L) Upper Storage with Open Shelf/ Recycling/Waste Drawer | PN57TSBF(R/L) Upper Storage with Open Shelf/ Box/File and Bookshelf | PN57RTS(R/L) Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf |
| Width | 24" | 24" | |
| Left hand shown Right hand available | | | |
| Product Code Configuration | PN57SBFT(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Box/File | PN57DRTS(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer | |




Product Map




52"H | Align with 29"H workspaces



| | | | | |
|---|--|---|--|---|
| Width | 16" | 16" | 16" | |
| Left hand shown Right hand available |  |  |  | |
| Product Code Configuration | PN59CSBF(R/L) Open Shelf/Box/File/Bookshelf | PN59RCS(R/L) Open Shelf/Recycling/Waste Drawer/ and Bookshelf | PN59DSBF(R/L) Door/Upper Storage with Open Shelf/Box/File | |
| Width | 16" | 24" | 24" | |
| Left hand shown Right hand available |  |  |  | |
| Product Code Configuration | PN59DRCS(R/L) Upper Storage with Open Shelf/ Recycling/Waste Drawer | PN59TSBF(R/L) Upper Storage with Open Shelf/ Box/File and Bookshelf | PN59RTS(R/L) Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf | |
| Width | 24" | 24" | | |
| Left hand shown Right hand available |  |  | | |
| Product Code Configuration | PN59SBFT(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Box/File | PN59DRTS(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer | | |
| Width | 16" | 16" | 24" | 24" |
| Left hand shown Right hand available |  |  |  |  |
| Product Code Configuration | PN59CBBF(R/L) Box/Box/File and Bookshelf | PN59DBBF(R/L) Upper Storage with Box/Box/File | PN59TBBF(R/L) Tower with wardrobe; Box/Box/File and Bookshelf | PN59BBFT(R/L) Tower with wardrobe; Upper Storage, Box/Box/File and Bookshelf |

Product Map



66"H | Align with 27"H worksurfaces

| | | | |
|---|---|---|---|
| Width | 16" | 16" | 16" |
| Left hand shown Right hand available |  |  |  |
| Product Code | PN67CSBF(R/L) | PN67RCS(R/L) | PN67DSBF(R/L) |
| Configuration | Open Shelf/Box/File/Bookshelf | Open Shelf/Recycling/Waste Drawer/ and Bookshelf | Door/Upper Storage with Open Shelf/Box/File |

| | | | |
|---|---|---|---|
| Width | 16" | 24" | 24" |
| Left hand shown Right hand available |  |  |  |
| Product Code | PN67DRCS(R/L) | PN67TSBF(R/L) | PN67RTS(R/L) |
| Configuration | Upper Storage with Open Shelf/ Recycling/Waste Drawer | Tower with wardrobe; Open Shelf/ Box/File and Bookshelf | Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf |













| | | |
|---|---|---|
| Width | 24" | 24" |
| Left hand shown Right hand available |  |  |
| Product Code | PN67SBFT(R/L) | PN67DRTS(R/L) |
| Configuration | Tower with wardrobe; Upper Storage, Open Shelf/Box/File | Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer |

52"H and 66"H | Align with 27"H or 29"H worksurfaces

| | | |
|---|---|---|
| Width | 24" | 16" |
| Left hand shown Right hand available |  |  |
| Product Code (52"H) | PN1652WD(R/L) | PN52TWB(R/L) |
| Product Code (66"H) | PN1666WD(R/L) | PN66TWB(R/L) |
| Configuration | Wardrobe with Coat Rail | Wardrobe Tower and full height bookcase |

Product Map





66"H | Align with 29"H worksurfaces

| | | | | |
|---|---|---|--|---|
| Width | 16" | 16" | 16" | |
| Left hand shown Right hand available |  |  |  | |
| Product Code Configuration | PN69CSBF(R/L) Open Shelf/Box/File/Bookshelf | PN69RCS(R/L) Open Shelf/Recycling/Waste Drawer/ and Bookshelf | PN69DSBF(R/L) Door/Upper Storage with Open Shelf/Box/File | |
| Width | 16" | 24" | 24" | |
| Left hand shown Right hand available |  |  |  | |
| Product Code Configuration | PN69DRCS(R/L) Upper Storage with Open Shelf/ Recycling/Waste Drawer | PN69TSBF(R/L) Tower with wardrobe; Open Shelf/ Box/File and Bookshelf | PN69RTS(R/L) Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf | |
| Width | 24" | 24" | | |
| Left hand shown Right hand available |  |  | | |
| Product Code Configuration | PN69SBFT(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Box/File | PN69DRTS(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer | | |
| Width | 16" | 16" | 24" | 24" |
| Left hand shown Right hand available |  |  |  |  |
| Product Code Configuration | PN69CBBF(R/L) Box/Box/File and Bookshelf | PN69DBBF(R/L) Upper Storage with Box/Box/File | PN69TBBF(R/L) Tower with wardrobe; Box/Box/File and Bookshelf | PN69BBFT(R/L) Tower with wardrobe; Upper Storage, Box/Box/File and Bookshelf |




Product Map

Princeton Mobile Storage



Mobile Pedestals, 16"W x 22"D

| | | | | |
|---------------|---|---|---|--|
| Height | 21" | 25" | 25" | 27" |
| |  |  |  |  |
| Product Code | PN22MBF | PN25MSBF | PN25MBBF | PN27MFF |
| Configuration | Box/File | 5"H Open Shelf/Box/File | Box/Box/File | File/File |

Mobile Lateral Files, 35.5"W x 22"D





| | | | |
|---------------|---|---|---|
| Height | 21" | 25" | 27" |
| |  |  |  |
| Product Code | PN22MLBF | PN25MLSBF | PN27MLFF |
| Configuration | Box/File | 5"H Open Shelf/Box/File | File/File |

Seat Cushions for Mobile Storage, 2.5" thick | Specify Fabric

| | | |
|---------------|---|--|
| Depth | 21" | 26" |
| Width | 16" | 35.5" |
| |  |  |
| Product Code | PN1622CU | PN3622CU |
| Configuration | For Mobile Pedestals | For Mobile Laterals |




Princeton Wall-Mounted Overheads

19"H x 16"D x 60", 72", 84"W

| | | | | |
|---------------|---|---|---|--|
| |  |  |  |  |
| Product Code | PN19xxWHO | PN19xxLS | PN19xxLWH | PN19xxWH |
| Configuration | Open Storage | Single Sliding Laminate Door | Sliding Laminate Doors | Sliding Glass Doors |

• Interior height clearance is 13.6" • Lower pigeon hole shelf is 3.3"H • Sliding doors do not lock • Mounting hardware not included

8"H x 12"D x 60", 72", 84"W



| | | | |
|---------------|---|---|---|
| |  |  |  |
| Product Code | PN12xxWHO | PN12xxLWH | PN12xxWH |
| Configuration | Open Storage, Slim | Sliding Laminate Doors, Slim | Sliding Glass Doors, Slim |

• Interior height clearance is 6.6" • Sliding doors do not lock • Mounting hardware not included

Product Map

Princeton Desktop Storage

12"H x 11"D x 60", 72"W



Product Code
Configuration





PN11xxLDS
Sliding Laminate Doors

PN11xxDS
Sliding Glass Doors

- Inside height clearance is 6.5" • 4" clearance between worksurface and underside of bottom shelf • Sliding doors do not lock
- Secured with high performance double sided tape (supplied)

12"D Open Desktop Shelf | Adjustable interior shelf | Use with 29"H worksurfaces

| | | | | |
|--------|---------------|---------------|---------------|---------------|
| Height | 23" | 23" | 37" | 37" |
| Width | 24", 30", 36" | 24", 30", 36" | 24", 30", 36" | 24", 30", 36" |



Product Code
Configuration

PNxx23LDB
Two high, all laminate

PNxx23GDB
Two high, glass center shelf





PNxx37LDB
Three high, all laminate

PNxx37GDB
Three high, glass interior shelves

- Use 23"H with 29"H worksurface to align with 52"H cabinets • Use 37"H with 29"H worksurface to align with 66"H cabinets

12"D Open Desktop Shelf | Adjustable interior shelf | Use with 27"H worksurfaces

| | | | | |
|--------|---------------|---------------|---------------|---------------|
| Height | 25" | 25" | 39" | 39" |
| Width | 24", 30", 36" | 24", 30", 36" | 24", 30", 36" | 24", 30", 36" |



Product Code
Configuration

PNxx25LDB
Two high, all laminate




PNxx25GDB
Two high, glass center shelf

PNxx39LDB
Three high, all laminate

PNxx39GDB
Three high, glass interior shelves

- Use 25"H with 27"H worksurface to align with 52"H cabinets • Use 39"H with 27"H worksurface to align with 66"H cabinets

Hutches | 35"H x 16"D x 60", 72", 84"W



Product Code
Configuration

PN35xxCHO
Open






PN35xxLCH
Sliding Laminate Doors



PN35xxCH
Sliding Glass Doors




- Full back, predrilled lower corners for cable escape. Accepts tackboard. 1" x 2" x 15.9"H metal frame support • Internal height clearance is 13.5"
- 15.9" clearance between worksurface and underside of hutch. Lower pigeon hole shelf is 3.3"H
- Sliding doors do not lock.
- **Hutches cannot be placed on desks with laminate end panels.**

Product Map






Princeton Accessories

| | | | | | |
|----------------------------|---|---|---|--|---|
| Height | 13" | 13" | 8" | 14.5" | 14.5" |
| Depth | 0.37" | 0.25" | 12" | 0.62" | 0.62" |
| Width | 30" to 78" | 30" to 72" | 60", 72", 84" | 56", 62", 68", 74", 80" | 60" to 84" |
| |  |  |  |  |  |
| Product Code Configuration | PNxx13DMF Fabric Desktop or Modesty Panel | PNxx13DG Glass Desktop Panel | PN12xxWHS Wall-Mounted Shelf | PN15xxTBH Tackboard for Hutch | PN15xxTBW Tackboard for Overhead Storage |

| | | |
|----------------------------|---|---|
| Height | 19.5" | 29" |
| Depth | 19" | 12" |
| Width | 19" | 42", 72" |
| |  |  |
| Product Code Configuration | PN1920ST Mobile Stool with Cushion | PNxx29BGS Divider Shelves |

| | | | |
|----------------------------|--|--|--|
| Height | 29" | 29", 52", 66" | 29", 52", 66" |
| Depth | 12" | 12" | 12" |
| Width | 42", 72" | 24", 30", 36" | 24", 30", 36" |
| |  |  |  |
| Product Code Configuration | PNxx29PL Planters | PNxxxBLS Bookshelf with Laminate Shelves | PNxxxBGS Bookshelf with Glass Shelves |

Princeton Electrical Data

| | | | | | |
|----------------------------|---|---|---|--|---|
| Height | 2.22" | 2.22" | 2.22" | 0.5" | 2" |
| Depth | 2.5" | 2.5" | 2.5" | 1.5" | 2" |
| Width | 3.58" | 6.75" | 10.25" | 12", 20", 40" | 12" to 66" (in 6" increments) |
| |  |  |  |  |  |
| Product Code Configuration | PGDPS20 2 Outlet Power Block | PGDPS21 2 Outlet, 1 Telecom Blank Plate | PGDPS41 4 Outlet, 1 Telecom Blank Plate | PLEDxx Ultra Slim LED Task Light | PEWMx / PEWMx.x Wire Manager |